kahn-kalai linial

AI Mode | All | Images | Videos | Shopping | Forums | Short videos | More | Tools

Wikipedia
https://en.wikipedia.org › wiki

Kahn–Kalai conjecture

The Kahn–Kalai conjecture, also known as the expectation threshold conjecture or more recently the Park-Pham Theorem, **was a conjecture in the field of graph** ... Read more

Theoretical Computer Science Stack Exchange
https://cstheory.stackexchange.com › questions › concr...

boolean functions - Concrete version of KKL Theorem

May 10, 2023 — The Kahn–Kalai–Linial (KKL) Theorem says that for any balanced Boolean function f: {−1,1}n→{−1,1} we have maxiInfi(f)=Ω(lognn). I am looking ...

WordPress.com
https://gilkalai.files.wordpress.com › 2017/01

Boolean Functions: Influence, threshold and noise PDF

by G Kalai · Cited by 14 — **Kahn, G. Kalai, and N. Linial**, The influence of variables on Boolean functions, in. Proc. 29-th Annual Symposium on Foundations of Computer ... Read more
25 pages

SIAM Publications Library
https://epubs.siam.org › doi › abs

KKL Theorem for the Influence of a Set of Variables

by T Przybyłowski · 2025 · Cited by 1 — 8. **J. Kahn, G. Kalai, and N. Linial**, The influence of variables on boolean functions, in 29th Annual Symposium on Foundations of Computer Science, 1988, pp. 68–…

WordPress.com
https://terrytao.wordpress.com › 2007/08/16 › gil-kalai-...

(Gil Kalai) The entropy/influence conjecture - Terence Tao

Aug 16, 2007 — ... **Kahn-Kalai-Linial (KKL) theorem** asserts that I_k(f) \gg \frac{\log n}{n} for some k. There is a result of Friedgut that if I(f) is bounded ... Read more

Springer Nature Link
https://link.springer.com › article

The influence of variables in product spaces - Springer Nature

by J Bourgain · 1992 · Cited by 192 — **J. Kahn, G. Kalai and L. Linial**,Collective coin flipping, the influence of variables on Boolean functions and harmonic analysis, to appear. Read more

Cornell University
https://courses.cs.cornell.edu › lec_16+17

Lecture 16 & 17 1 KKL Theorem PDF

Mar 25, 2025 — This theoreom was given by **Kahn**, **Kalai**, and **Linial** in 1988. Theorem 1.1: For any Boolean function f : {−1,1}n → {−1,1}, there exists a ... Read more

Gil Kalai's blog
https://gilkalai.wordpress.com › 2017/02 › ecms

Boolean Functions: Influence, threshold and noise PDF

by G Kalai · Cited by 14 — Let p be the value for which the probability that G contains a copy of H is 1/2. Problem 4 (Conjecture by **Kahn** and **Kalai** from 2006): Show that p/q = O(log n). Read more

William Hoza
https://williamhoza.com › teaching › collective-coi...

1 The Poincaré inequality and the Kahn-Kalai-Linial theorem PDF

The KKL theorem gives a tight Ω((log n)/n) lower bound. Theorem 1.4 (Kahn-Kalai-Linial). For every f : {±1}n → {±1}, there is some i ∈ [n] such that Infi ... Read more

Harvard University
https://ui.adsabs.harvard.edu › abs › arXiv:1409

Influential coalitions for Boolean Functions - ADS

We improve results of **Kahn, Kalai, and Linial** from the late 80s on the existence of influential large coalitions for Boolean functions, and we give ... Read more

Previous 1 2 3 4 5 6 7 8 9 Next

Results are personalized - Try without personalization

Canada **H8P, Montreal, QC** - From your IP address - Update location

Help Send feedback Privacy Terms